

POWERED BY Dialog

Thin flexible mouldings in plasticised polyamides
Patent Assignee: AQUITAINE ORGANICO SA

Patent Family

| Patent Number | Kind | Date | Application Number | Kind | Date | Week | Type |
|---------------|------|------|--------------------|------|------|--------|------|
| FR 1580539 | A | | | | | 196800 | B |

Priority Applications (Number Kind Date): FR 160522 A (19680725)

Abstract:

FR 1580539 A

Polyamide compositions, mainly from nylon 11 and 12, containing plasticisers chosen from alkyl hydroxybenzoic esters (a) and from the organic sulphonamides (b) in a proportion less than 17%.

(a) e.g. butyl hydroxybenzoate, (b) particularly benzo- or toluene-sulphonamides, e.g. "plastomoll BMB." The plasticisers can be incorporated in the polyamide by extrusion mixers or by adding during polymerisation: the mixtures are then ground to between 100 and 3000 μ . These powders may be moulded by rotational or centrifugal moulding methods.

Derwent World Patents Index

© 2005 Derwent Information Ltd. All rights reserved.

Dialog® File Number 351 Accession Number 609900